




## FIRST AID

WE UNDERSTAND  
THE ANIMAL  
WORLD



## FIRST AID FOR YOUR PET AT HOME AND ON THE GO

*Sudden medical problems can catch your animal friends not only at home, but also anywhere outdoors, when travelling and on holiday. That's why it is a good idea to always have a first aid kit on hand.*

When outdoors, there are occasional situations where the pet eats something and then suffers from digestive problems, including vomiting or diarrhoea, or is injured by a sharp object while playing in nature. Holidays also means climate and weather change, air-conditioned spaces and long travel in the car. This increases the risk of minor and more severe infections.

The contents of the Energy First Aid Kit for Animals are designed to take into account the most common health complications and injuries with regard to the appropriate possibility to combine products for internal and external use.



FOR ALL  
ANIMALS



RECOMMENDED  
BY VETERINARIANS



NATURAL  
PRODUCTS

## HEALTH PROBLEMS AND SOLVING THEM WITH ENERGY PRODUCTS:

### Eating something inappropriate

Empty the **Cytovet** capsule and mix its contents in a little water, then apply it with a syringe. If intoxication is suspected, repeat several times every 1-2 hours, then give **Regavet** and **Probiovet**.

### Vomiting

- » acute – administer **Virovet** (also in water)
- » chronic (especially in the morning on an empty stomach / dog eats grass) – administer **Regavet**, **Etovet**, **Probiovet** and **Fytovet**

### Diarrhoea

In case of acute diarrhoea, use **Cytovet**, **Probiovet** and **Regavet**.

### Insect stings (wasp, bee)

Administer **Imunovet** internally, apply **Imunovet** or **Audivet** on the affected area topically.

### Bleeding (minor, capillary, mucosal)

Apply **Imunovet** externally and internally.

### Broken claw

Apply **Imunovet** externally and internally.

### Bites or cuts, lacerations

Administer **Imunovet** or **Imunovet** and **Kingvet** for larger wounds to accelerate healing. Use the diluted solution of **Cytovet** for rinsing.

### Convulsions

Use **Korovet** and **Fytovet**. In case of epileptiform convulsions (whole-body convulsions with a loss of consciousness) that do not resolve spontaneously within a short time, consult a veterinary doctor.

### Conjunctivitis

Rinse with **Cytovet** diluted with pre-boiled water (1 capsule up to 500 ml) 2-3 times a day.

### False pregnancy

Administer **Virovet** and **Etovet**.

### Sudden limping

Administer **Renovet** or **Kingvet** and optionally **Skelevet**. Rub the affected area with **Artrin**.

### Acute skin inflammation, exudation, hot spot

Administer **Imunovet** and **Renovet**, internally, **Fytovet** topically or **Audivet**.


Do not apply **Audivet** to damaged skin as it may sting.

### Heat stroke, sunburn (if it can be managed without a veterinary emergency care)

Administer **Imunovet**. Cool the animal, ventilate a lot and give **Renovet** after rehydration.

### Allergic reaction (if a visit to the veterinary doctor is not necessary, or before the trip)

Administer **Imunovet**, **Fytovet** and **Regavet**.





[www.vet.energy](http://www.vet.energy)