



ENERGY

IMUNOVET

VETERINARY PRODUCT – DROPS



FOR ALL
ANIMALS



RECOMMENDED
BY VETERINARIANS



NATURAL
PRODUCTS

IMUNOVET

*A product containing a pure resin from the plant **Croton lechleri** Muell.Arg., called by the Peruvian Indians **Sangre de Drago** – dragon's blood. It has tonic, antiviral, antibacterial, antifungal as well as antioxidant properties. It stimulates the development and maturation of connective tissue. By its specific action on the spleen, it activates the formation of blood components and cellular immunity. It promotes healing, regeneration and increases the body's defense. It is suitable for internal use and external application.*

USE

(The most suitable auxiliary product for better effect is indicated in brackets)

- » It activates the formation of blood components (red blood cells, white blood cells, platelets) and has an effect particularly on the spleen (**Korovet**).
- » It stops bleeding.
- » Natural antibiotic (may be applied directly on the wound) (**Cytovet**, **Kingvet**).
- » Promotion of functions and responses of the immune system (**Kingvet**, **Omegavet**).
- » Severe prolonged infections, resistance of the causative agent to antibiotics (**Cytovet**).
- » Fever, leukocytosis.



- » Healing of all types of wounds and inflammations – internal and external applications (trauma, post-surgery conditions, bites, hot spot) (**Kingvet, Cytovet**).
- » It pulls wound edges together – minimisation of the scar.
- » Restoration of affected tissues during the recovery period (**Kingvet, Gynevet**).
- » Auxiliary product in the treatment of leukaemia and other cancers (**Korovet, Cytovet, Annovet**).

INGREDIENTS

100% Croton lechleri resin.

RECOMMENDED DOSAGE

Small animals up to 2 kg:

1 drop in 1–2 ml of water or in a treat 2–3 times a day;

Animals from 2 to 50 kg:

1–2 drops for each 10 kg of animal weight 1–3 times a day in a small amount of water or in a treat.

Animals over 50 kg:

4–6 drops for every 50 kg of weight 1–2 times a day.

After three weeks of use, take a one-week break.

RECOMMENDATIONS

Administer in a small amount of water or in a treat after feeding.

Recommended higher doses

are appropriate in antibiotic indications. For precise targeting of the regeneration, we recommend seeking professional advice from our consultants or the online veterinary advice at www.vet.energy.

Use within three months of opening.

WARNING

It irritates an empty stomach – astringent effect. Always administer during or after feeding.

VOLUME

30 ml



Recommendation from a veterinarian

I use **Imunovet** after virtually all surgeries. It also helps in cases of resistance of bacterial pathogens to antibiotics. An effective product for healing all wounds, including infectious ones.

MVDr. Petr Hrabák

www.vet.energy